BROWNING SAFES

2026

Bigger. Better. Browning.

Why Browning Safes?

Browning Safes Axis® Adjustable Shelf System has the most customizable interior that can change with your needs. Each shelf can hold 75 pounds and is covered with a rubberized polymer that protects your valuables. Axis® accessories mean your safe's capabilities are limited only by your imagination.

With Browning Safes DPX® Door Storage System, storing long guns on the door gives you two front rows and direct access to 60%-70% of your guns without moving another gun first. Our DPX Scope Savers give you extra room for scoped long guns and Pistol Pouches that keep your handguns secure and easily accessible.

Better construction equals better protection. Browning Safes have continuous welds and interlocking fire insulation, giving them greater capacity to resist buckling and gaps when exposed to the extreme heat. Gaps cause the safe's failure in a fire. This is why Browning Safes have superior fire protection.

Get a complete list of the advantages of Browning Safes at: **bit.ly/whybrowning**

Peace of Mind Warranty.

Should disaster strike, your investment in a Browning Safe is protected by the best warranty in the gun safe industry — a lifetime warranty that covers attempted break in, actual break in, and fire. All Browning Safes (except the FMJ Series) carry the UL RSC (Underwriters Laboratories Residential Security Container) rating — the industry standard that defines a home security safe. The UL RSC rating ensures that a safe meets construction specifications and has passed a series of independent laboratory test attacks. The FMJ Series carries the California DOJ rating.

If your Browning Safe is involved in one of the situations above and your homeowner's insurance policy does not cover the damage to the safe, ProSteel will repair or replace the safe. (Safe contents are not covered.) No other brand lives up to our uncompromising standards and the combination of precision construction, proprietary security technology and patented interior features that elevate Browning Safes above the rest.

BROWNING®

SAFES

TABLE OF CONTENTS

Graphic Options 2
Adjustable Shelving 2
Optimized Security 4
Fire Protection 5
More Storage 6
DPX Door Panel 7
Platinum Series 8
Medallion Series 10
Silver Series 12
Armored U.S. Series. 14
1878 Series 16
Hell's Canyon Series 18
Rawhide Series 20
Hunter Series 22
MP Blackout Series 24
Sporter Series 26
Yellowstone Series 28
FMJ Series 30
TL-30 Series 32
Vault Doors 34
Gun Safe Accessories 36
Comparison Charts 40

GRAPHIC OPTIONS

Every Platinum, Medallion, and Silver safe, along with our Vault Doors (except 1878 style), includes your choice of one complimentary graphic from our curated collection shown below. Alternatively, you may select no graphic at all for a clean, unadorned door.

Elk


Mule Deer


Whitetail Buck/Doe

Pointer

Mallards

Mountain


Scroll

Rack

Flush

Flare



Pledge Flag

Buckmark

NEW

250th Comemorative


No Graphic

Patented solutions offer virtually unlimited storage options.

An empty gun safe appears spacious but that free space disappears quickly once you begin filling it with long guns, carbines, handguns, watches, laptops, precious metals and other valuables. Browning Safes offers the most adjustable interiors in the gun safe market and, by adding the shelving shown on page 3, allows you to explore the full potential of your Axis or CMS interior equipped safe by customizing it to satisfy your requirements.



AXIS SHELVING

The exclusive Axis Adjustable Shelving (U.S. patent #D662341) is a completely customizable system with an array of shelves that can be configured to meet virtually every need. The Axis shelf is made from a single piece of sturdy steel coated in a soft, protective polymer that is designed to protect guns and valuables. Axis accessories, featured on the next page, are designed to easily mount to the solid steel shelf or barrel rack.

CMS SHELVING

CMS shelves are built on a steel frame and utilize a wood platform covered in carpet. CMS borrows essential technology from the patented Axis Adjustable Shelving (U.S. patent #D662341) to retain much of the adjustability of the higher-end system.

Like Axis, CMS components can be adjusted up and down, side-to-side, added and removed, to fit more of your most prized possessions.

Scan QR code to learn more.

AXIS SHELVING Maximize Your Storage

Adding the accessories shown on this page allows you to explore the full potential of your Axis or CMS interior-equipped safe by customizing it specifically to your needs. All Axis accessories shown are compatible with Axis interiors built in 2013 and newer, and CMS interiors built in 2018 and newer that are greater than 20 cubic feet in size.

STEEL SHELF
The basic shelf is made from tough steel with a protective polymer skin.

PISTOL SHELF
Holds up to 12 handguns. The soft surface protects against damage.

PISTOL RACK
Holds five handguns and leaves the shelf available for other gear.

SCOPED PISTOL RACK
A deeper drop and heavy-gauge rods for storing handguns with optics.

BOW HANGER
Lock up and protect archery equipment while taking up minimal space.

HIGH CAPACITY BARREL RACK
Store more long guns in the same space with this double-row rack.

BARREL RACK
11 slots accommodate rifles, shotguns, carbines and modern sporting rifles.

FILE BOX
Important documents are kept safe and easy to find in this handy File Box.

VERTICAL FILE HOLDER
Easily organize important documents with this File Holder.

DRAWER
Keep all sorts of goods separated and safe with the Axis Drawer.

DRAWER WITH JEWELRY INSERT
Protect and organize valuables such as watches, rings and necklaces.

DRAWER WITH FOAM INSERT
Pick and pluck foam isolates prized possessions inside the drawer.

DRAWER WITH MULTIPURPOSE INSERT
Keep delicate items organized, protected and easy to find.

DRAWER WITH MONEY/PASSPORT INSERT
Compartments are sized to organize cash, passports and other documents.

DEEP DRAWER
The Deep Drawer is perfect for storing a variety of items under a shelf.

Optimized Security *Protect Your Valuables*

Many features that make a Browning Safe "The Best There Is" are those you will never notice; but those who attempt to gain unauthorized entry into your safe will find them extremely challenging. Rugged lock protection components are designed to divert pounding and drilling forces away from the lock. Door corner protection is strategically added to these frequently attacked areas and unlike some of our competition, we use high-strength, steel bolts to secure the door instead of shaped sections of iron. All of this security is protected inside a sturdy body and door that feature continuous welds to eliminate weakness.

Pry-Stop End Bolts

Gear Drive™ Locking System


Uni-Force™ Locking System


Pry-Stop Corner Bolts

Force Deflector Locking System

Uniforce™ Locking System

The Browning Safes locking mechanism uses robust cam locks and a large, multiple diversion bar system to prevent bolt or handle pressure from reaching the lock. Forces go to the cams and diversion bars, not the lock, for protection unmatched by other locking systems.

Pry-Stop End Bolts

Pry-Stop End Bolts secure the critical door corners. More than two and one-half times longer than regular bolts, they attach to a high-strength steel angle that prevents the locking bolt support bar from bending in a pry attack.

Pry-Stop Corner Bolts

Pry-Stop Corner Bolts (U.S. patent #8,276,527) provide better protection than other pry-defense designs. Innovative long locking bolts extend diagonally from a reinforced support at the corners of the door to protect against pry attack at these areas.

Max Bolts

Max Bolts are a proprietary locking bolt system. These are rectangular, chrome-plated hardened steel bolts — typically measuring 4" long by 1" wide (or variations like 3" x 3/4" in some series) — designed to provide superior pry resistance compared to traditional round bolts.

Reinforced Door Frame

The door opening of the safe is strengthened with an integrated return flange for significanly increased pry and attack resistance.

Formed Door

The Formed Door is engineered with a rugged steel face. Back and reinforcement panels provide excellent strength and attack protection compared to the competition.

Force Deflector Locking System

The Force Deflector Locking System (U.S. patent #7,665,405) is a rotating cam device that prevents prying or pounding forces to the bolts or handle from reaching the lock. It is superior to most locking systems used in the safe industry.

OmniBarrier® Lock Protection System

A carefully engineered structure of steel hard plate and steel components designed to protect the safe lock from drill, punch and push attacks.

Duo-Formed® Door

The Browning Safes door is made from multiple layers of steel formed together to provide superior strength, pry resistance and attack protection. A full second panel offers outstanding strength and rigidity.

Gear Drive™ Locking System

The finest Browning Safes locking mechanism uses robust cam locks and a large, multiple diversion bar system to prevent bolt or handle pressure from reaching the lock. Forces go to the cams and diversion bars, not the lock, for unmatched protection.

180° Heavy Duty Hinges

Exterior hinges allow the door to swing open 180° for unhindered access to the safe interior. Locking bolts maintain security if the hinges are cut off. External hinges eliminate the need to remove insulation resulting in improved fire protection.

Mega Bars

Mega Bars are a proprietary locking bar system. These are rectangular, hardened carbon steel bars — measuring 6-3/4" long by 3.5" wide and 3/16" thick — designed to provide superior pry resistance compared to traditional round bolts.

ThermaBlock

The best fire protection in the industry.

All Browning Safes use a Palusol® seal that expands when heated to 212° F to seal the safe interior, creating a barrier to fire and hot gasses.

Browning Safes uses interlocking fire insulation to minimize gaps. Fewer gaps reduce heat entry to keep the interior of the safe cooler.

Competitor's internal hinges allow up to eight times more heat to enter the safe through gaps in the fire insulation. Browning Safes external hinges eliminate gaps.



Scan QR code to learn more.

Competitor A Safe: Rated 90 minutes at 1,650° F
Competitor B Safe: Rated 90 minutes at 1,200° F
Browning Safe: Rated 100 minutes at 1,650° F

STORE UP TO 54% MORE GUNS

Use these helpful hints to maximize space:

1. Set guns on the toe of the recoil pad and allow them to lean slightly forward. Resting guns on the heel of the stock and tipping them back uses up valuable space on the floor of the safe.

2. Place guns without optics on the back row, against the back wall of the safe. This frees up space for scoped firearms on the outer row.

3. Place long guns "heel-to-toe" to store the maximum amount of guns. On the back row, be sure the gun's heel is pressed against the back wall. On the outer row make sure the firearm is touching the toe of the gun on the back row.

4. Group similarly-sized firearms together and adjust barrel racks to find the balance point of the firearms to keep them as vertical as possible.

5. If the safe is not equipped with a Scope Saver on the DPX Door Panel, place often used guns without optics on the door to free up space for scoped long guns on the outer row. Firearms with large optics or optics with large adjustment turrets may not fit in the Scope Saver.

More Storage

As a gun safe fills up, utilizing every inch of space becomes more and more important. Browning Safes has the safe market cornered in this respect, offering the most adjustable interiors imaginable. Never satisfied, we turned our attention to the door and developed the patented DPX Door Storage System. This exclusive feature adds storage capacity for valuables, handguns and long guns to your safe while increasing the number of long guns that are within easy reach.

DPX Door Storage System *Get Organized*

The patented DPX storage system (U.S. patent #7,409,790) is available exclusively on Browning Safes. This unequaled organizational tool allows long guns, handguns, shooting gear and valuables to be stored on the back of the safe door. The DPX Quick Access Barrel Rack puts long guns on the door for instant access and the Scope Saver increases storage and protects optics. DPX pouches and pockets keep valuables and gear where they are easy to find and free up shelf space for even more items.

DPX PISTOL POUCHES

Keep handguns easy to access and isolated from bumps and scratches in the sewn-on DPX pistol pouches.

DPX QUICK ACCESS BARREL RACK

Flexible polymer wings protect barrel finishes and allow firearms to easily be pushed into, or pulled from, the rack. (U.S. patent #D643500)

PALS WEBBING / MOLLE

This customizable system maximizes space, keeps essential items accessible, and adapts to changing storage needs.

DPX SCOPE SAVER

Store more long guns with optics on the DPX door rack with the patented Scope Saver. This unique recessed panel protects scopes and increases gun capacity.

Inside this brochure, listed under "long gun capacity", you will see combinations of numbers such as 13/26+7.
The first number is the long gun capacity in the safe body with a half shelf interior (13 in the example).
The second number is the long gun capacity in the safe body with an all gun interior (26 in the example).
The "plus" number is the long gun capacity on the back of the door (+7 in the example).

CAPACITY COMPARISON	COMPETITOR'S SAFE (25-28 cubic feet)	BROWNING PROSTEEL SAFE (26 cubic feet)	RESULT
Gun capacity with half shelf interior	13 Guns	20 Guns	**54% More**
Gun capacity with all gun interior	27 Guns	33 Guns	**22% More**
Front row gun capacity with half shelf interior	2 Guns	14 Guns	**600% More**
Front row gun capacity with all gun interior	7 Guns	21 Guns	**200% More**

Cedar lined interior

PLATINUM SERIES

Exclusive Features

DPX SYSTEM: Patented premium full DPX door including:

- Scope Saver
- Quick Access Barrel Rack
- Pistol and Storage Pouches

4" X 1" MAX BOLTS: Up to 16 total chrome-plated Max locking bolts on four sides of door (top, sides and bottom).

FIRE PROTECTION: 1,750° for 120 minutes. ThermaBlock technology with 2-1/2" ceiling insulation, 3-1/8" body insulation and 2-3/8" door insulation.

AXIS SHELVING: Adjustable, polymer-covered steel shelves to protect firearms and valuables. (See next page to identify which Axis shelves are included with each Platinum safe model.)

INTERIOR POWER: Interior LED light package and electrical outlet.

MADE IN THE USA: American-made with quality and craftsmanship.

SECURITY: Industry-leading technology protects your valuables:

- 3/16" (7-Gauge) steel body
- 1-11/16" thick Duo-Formed® Door with full coverage 10-Gauge inner plate
- Hardened steel pin lock protection
- Gear Drive™ Locking System
- Pry-Stop Corner Bolts

PLATINUM SERIES | *155 minutes at 1,200° F / 120 minutes at 1,750° F*

Made in the USA

ThermaBlock Fire Protection	Axis Adjustable Shelving	DPX Door Storage System	DPX Scope Saver	4-Way Bolts	Pry-Stop Corner Bolts	4"x 1" Max Bolts	Gear Drive™ Locking System	UL Listed	3/16" Steel Body	180° Door Hinges	Reinforced Door Frame	Duo-Formed® Door	Electrical Outlet	LED Light Package

PP65T

Exterior: 59" W, 72" H, 27" D
Interior: 51" W, 66" H, 17" D
66 Cubic Feet
65 Long Guns (39/52+13)
1,920 Lbs.
12 Total Axis Shelves
4 High Capacity Barrel Racks
1 Scoped Pistol Rack
1 Axis Pistol Shelf
1 Pistol Rack
16 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

PP49T

Exterior: 46" W, 72" H, 27" D
Interior: 38-1/2" W, 66" H, 17" D
52 Cubic Feet
49 Long Guns (26/39+10)
1,620 Lbs.
8 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
1 Axis Pistol Shelf
16 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

PP49

Exterior: 46" W, 60" H, 27" D
Interior: 38-1/2" W, 54" H, 17" D
43 Cubic Feet
49 Long Guns (26/39+10)
1,425 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
1 Axis Pistol Shelf
14 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

* See graphic options on page 2

LOCK OPTIONS



SG® Mechanical

SG® Top Lit Electronic

SecuRam™ ScanLogic Biometric

HANDLE OPTIONS NEW

Black Chrome

Silver Chrome

Gold

HARDWARE OPTIONS

Black Chrome

Silver Chrome

Gold

COLOR OPTIONS

Two-Tone Midnight

Two-Tone Steel Dawn

Two-Tone Desert Smoke

Two-Tone Crimson Fade



Black Cherry

Sapphire Blue

Titanium Metallic

Hunter Green Metallic



Charcoal Metallic

Putty Gray

Gloss Black



Matte Black



Gloss Ivory

Simulated worn leather interior

MEDALLION SERIES

Exclusive Features

DPX SYSTEM: Patented premium full DPX door including:

- Scope Saver
- Quick Access Barrel Rack
- Pistol and Storage Pouches

4" X 1" MAX BOLTS: Up to 14 total chrome-plated Max locking bolts on four sides of door (top, sides and bottom).

FIRE PROTECTION: 1,700° for 110 minutes. ThermaBlock technology with 2-1/2" ceiling insulation, 2-1/2" body insulation and 2-3/8" door insulation.

AXIS SHELVING: Adjustable, polymer-covered steel shelves to protect firearms and valuables. (See next page to identify which Axis accessories are included with each Medallion safe model.)

INTERIOR POWER: Interior LED light package and electrical outlet.

MADE IN THE USA: American-made with quality and craftsmanship.

SECURITY: Industry-leading technology protects your valuables:

- 10-Gauge steel body
- 1-11/16" thick Duo-Formed® Door with full coverage 10-Gauge inner plate
- Hardened steel pin lock protection
- Gear Drive™ Locking System
- Pry-Stop Corner Bolts

MEDALLION SERIES | *140 minutes at 1,200° F / 110 minutes at 1,700° F*

Made in the USA

110 minutes at 1700° — ThermaBlock Fire Protection
AXIS — Axis Adjustable Shelving
DPX — DPX Door Storage System
DPX SCOPE SAVER — DPX Scope Saver
4-WAY BOLTS — 4-Way Bolts
PRY-STOP CORNER BOLTS — Pry-Stop Corner Bolts
4"x1" — 4"x 1" Max Bolts
Gear Drive™ Locking System
UL — UL Listed
10 GA BODY — 10-Gauge Steel Body
180° — 180° Door Hinges
Reinforced Door Frame
DUO FORMED DOOR — Duo-Formed® Door
Electrical Outlet
LED Light Package

M65T

Exterior: 57" W, 72" H, 26" D
Interior: 51" W, 66" H, 17" D
62 Cubic Feet
65 Long Guns (39/52+13)
1,585 Lbs.
12 Total Axis Shelves
4 High Capacity Barrel Racks
1 Scoped Pistol Rack
1 Pistol Rack
1 Pistol Shelf
14 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

M65

Exterior: 57" W, 60" H, 26" D
Interior: 51" W, 54" H, 17" D
52 Cubic Feet
65 Long Guns (39/52+13)
1,375 Lbs.
8 Total Axis Shelves
4 High Capacity Barrel Racks
1 Scoped Pistol Rack
1 Pistol Rack
1 Pistol Shelf
12 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

M49T

Exterior: 44" W, 72" H, 26" D
Interior: 38-1/2" W, 66" H, 17" D
48 Cubic Feet
49 Long Guns (26/39+10)
1,315 Lbs.
8 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
1 Pistol Shelf
14 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

M49

Exterior: 44" W, 60" H, 26" D
Interior: 38-1/2" W, 54" H, 17" D
40 Cubic Feet
49 Long Guns (26/39+10)
1,105 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
1 Pistol Shelf
12 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

M33

Exterior: 32" W, 60" H, 26" D
Interior: 26" W, 54" H, 17" D
29 Cubic Feet
33 Long Guns (13/26+7)
895 Lbs.
4 Total Axis Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
1 Pistol Shelf
12 Locking Bolts (All Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

* See graphic options on page 2

LOCK OPTIONS



SG® Mechanical

SG® Top Lit Electronic

SecuRam™ ScanLogic Biometric

HANDLE OPTIONS NEW

Black Chrome

Silver Chrome

Gold

HARDWARE OPTIONS

Black Chrome

Silver Chrome

Gold

COLOR OPTIONS

Two-Tone Midnight

Two-Tone Steel Dawn

Two-Tone Desert Smoke

Two-Tone Crimson Fade

Black Cherry

Sapphire Blue

Titanium Metallic

Hunter Green Metallic

Charcoal Metallic

Putty Gray

Gloss Black

Matte Black

Textured Charcoal

Textured Putty

Ivory Gloss

SILVER SERIES

Exclusive Features

DPX SYSTEM: Patented premium full DPX door including:
- Scope Saver
- Quick Access Barrel Rack
- Pistol and Storage Pouches

4" X 1" MAX BOLTS: 10 total chrome-plated Max locking bolts on four sides of door (top, sides and bottom).

FIRE PROTECTION: 1,680° for 100 minutes. ThermaBlock technology with 2-1/2" ceiling insulation, 1-7/8" body insulation and 2-3/8" door insulation.

AXIS SHELVING: Adjustable, polymer-covered steel shelves to protect firearms and valuables. (See next page to identify which Axis shelves are included with each Silver safe model.)

INTERIOR POWER: Interior LED light package and electrical outlet.

MADE IN THE USA: American-made with quality and craftsmanship.

SECURITY: Industry-leading technology protects your valuables:
- 11-Gauge steel body
- 1-11/16" thick Duo-Formed® Door with full coverage 10-Gauge inner plate
- Force Deflector™ Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

SILVER SERIES | *125 minutes at 1,200° F / 100 minutes at 1,680° F*

Made in the USA

ThermaBlock Fire Protection | Axis Adjustable Shelving | DPX Door Storage System | DPX Scope Saver | 4-Way Bolts | Pry-Stop End Bolts | 4" x 1" Max Bolts | UL Listed | 11-Gauge Steel Body | 180° Door Hinges | Force Deflector | Reinforced Door Frame | Duo-Formed® Door | Electrical Outlet | LED Light Package

SR65T

Exterior: 56" W, 72" H, 25-1/2" D
Interior: 51" W, 66" H, 17" D
60 Cubic Feet
65 Long Guns (39/52+13)
1,295 Lbs.
12 Total Axis Shelves
4 High Capacity Barrel Racks
1 Scoped Pistol Rack
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

SR49T

Exterior: 43" W, 72" H, 25-1/2" D
Interior: 38-1/2" W, 66" H, 17" D
46 Cubic Feet
49 Long Guns (26/39+10)
1,070 Lbs.
8 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

SR49

Exterior: 43" W, 60" H, 25-1/2" D
Interior: 38-1/2" W, 54" H, 17" D
38 Cubic Feet
49 Long Guns (26/39+10)
920 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

SR33

Exterior: 31" W, 60" H, 25-1/2" D
Interior: 26" W, 54" H, 17" D
27 Cubic Feet
33 Long Guns (13/26+7)
740 Lbs.
4 Total Axis Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

* See graphic options on page 2

LOCK OPTIONS

SG® Mechanical

SG® Top Lit Electronic

SecuRam™ ScanLogic Biometric

HANDLE OPTIONS NEW



Black Chrome

Silver Chrome

Gold

HARDWARE OPTIONS



Black Chrome

Silver Chrome

Gold

COLOR OPTIONS

Two-Tone Midnight

Two-Tone Steel Dawn

Two-Tone Desert Smoke

Two-Tone Crimson Fade

Black Cherry

Sapphire Blue

Titanium Metallic

Hunter Green Metallic

Charcoal Metallic

Putty Gray

Gloss Black

Matte Black

Textured Charcoal

Textured Putty

Ivory Gloss

ARMORED U.S. SERIES AND STARS & STRIPES

Exclusive Features

DPX SYSTEM: Patented premium full DPX door including:
- Scope Saver
- Quick Access Barrel Rack
- Pistol and Storage Pouches
- Two Carbine Barrel Loops

4" X 1" MAX BOLTS: 10 total chrome-plated Max locking bolts on four sides of door (top, sides and bottom).

FIRE PROTECTION: 1,680° for 100 minutes. ThermaBlock technology with 2-1/2" ceiling insulation, 1-7/8" body insulation and 2-3/8" door insulation.

AXIS SHELVING: Adjustable, polymer-covered steel shelves to protect firearms and valuables. (See next page to identify which Axis shelves are included with each Armored U.S. or Stars & Stripes safe model.)

INTERIOR POWER: Interior LED light package and electrical outlet.

MADE IN THE USA: American-made with quality and craftsmanship.

SECURITY: Industry-leading technology protects valuables:
- 11-Gauge steel body
- 1-11/16" thick Duo® Formed Door with full coverage 10-Gauge inner plate
- Force Deflector™ Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

ARMORED U.S. SERIES | *125 minutes at 1,200° F / 100 minutes at 1,680° F*

Made in the USA

ThermaBlock Fire Protection | Axis Adjustable Shelving | DPX Door Storage System | DPX Scope Saver | 4-Way Bolts | Pry-Stop End Bolts | 4" x 1" Max Bolts | UL Listed | 11-Gauge Steel Body | 180° Door Hinges | Force Deflector | Reinforced Door Frame | Duo-Formed® Door | Electrical Outlet | LED Light Package

Armored U.S. 49

Exterior: 43" W, 60" H, 25-1/2" D
Interior: 38-1/2" W, 54" H, 17" D
38 Cubic Feet
49 Long Guns (26/39+10)
920 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

Armored U.S. 33

Exterior: 31" W, 60" H, 25-1/2" D
Interior: 26" W, 54" H, 17" D
27 Cubic Feet
33 Long Guns (13/26+7)
740 Lbs.
4 Total Axis Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

Stars & Stripes 49

Exterior: 43" W, 60" H, 25-1/2" D
Interior: 38-1/2" W, 54" H, 17" D
38 Cubic Feet
49 Long Guns (26/39+10)
920 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

Stars & Stripes 33

Exterior: 31" W, 60" H, 25-1/2" D
Interior: 26" W, 54" H, 17" D
27 Cubic Feet
33 Long Guns (13/26+7)
740 Lbs.
4 Total Axis Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
10 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

ARMORED U.S. SAFES IN SATIN BLACK FEATURE:

Satin Black

SG® Top Lit Electronic Lock

SecuRam™ ScanLogic Biometric

Black Chrome Handle

Armored Plates in Metal Glaze

U.S. Flag Back Wall

ARMORED U.S. SAFES IN PUTTY GRAY FEATURE:

Putty Gray

SG® Top Lit Electronic Lock

SecuRam™ ScanLogic Biometric

Matte Black Handle

Armored Plates in Black

U.S. Flag Back Wall

STARS & STRIPES SAFES IN SATIN BLACK FEATURE:

Satin Black

SG® Top Lit Electronic Lock

SecuRam™ ScanLogic Biometric

Black Chrome Handle

Pledge with Flag Door Graphic

U.S. Flag Back Wall

STARS AND STRIPES SAFES IN PUTTY GRAY FEATURE:

Putty Gray

SG® Top Lit Electronic Lock

SecuRam™ ScanLogic Biometric

Matte Black Handle

Pledge with Flag Door Graphic

U.S. Flag Back Wall

1878 PATRIOT EDITION

1878 SERIES

Exclusive Features

DPX SYSTEM: Patented premium full DPX door including:
- Scope Saver
- Quick Access Barrel Rack
- Pistol and Storage Pouches

3" X 3/4" MAX BOLTS: Up to 9 total chrome-plated locking bolts on three sides of door (top and sides).

FIRE PROTECTION: 1,680° for 90 minutes. ThermaBlock technology with 1-7/8" ceiling insulation, 1-7/8" body insulation and 1-3/4" door insulation.

AXIS SHELVING: Adjustable, polymer-covered steel shelves to protect firearms. (See next page to identify which Axis shelves are included with each 1878 safe model.)

INTERIOR POWER: Interior LED light package and electrical outlet.

MADE IN THE USA: American-made with quality and craftsmanship.

SECURITY: Industry-leading technology protects your valuables:
- 11-Gauge steel body
- 1-1/4" Formed Door with inner plate
- Force Deflector Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

PATRIOT EDITION: Includes a US Flag on the interior back wall of the safe. Available in all sizes except 1878-13 and 1878-19.

1878 SERIES | *110 minutes at 1,200° F / 90 minutes at 1,680° F*

Made in the USA

90 minutes at 1680° — ThermaBlock Fire Protection
AXIS — Axis Adjustable Shelving
DPX — DPX Door Storage System
SCOPE SAVER — DPX Scope Saver
3-WAY BOLTS — 3-Way Bolts
PRY-STOP END BOLTS — Pry-Stop End Bolts
3" x 3/4" — 3" x 3/4" Max Bolts
UL — UL Listed
11 GA BODY — 11-Gauge Steel Body
180° — 180° Door Hinges
Force Deflector
Reinforced Door Frame
FORMED DOOR — Formed Door
Electrical Outlet
LED Light Package

1878-65T

Ext: 56" W, 72" H, 25" D
Int: 51-1/4" W, 66" H, 17-1/2" D
58 Cubic Feet
65 Long Guns (39/52+13)
1,325 Lbs.
12 Total Axis Shelves
4 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor
Floor Stock Holder

1878-65

Ext: 56" W, 60" H, 25" D
Int: 51-1/4" W, 54" H, 17-1/2" D
49 Cubic Feet
65 Long Guns (39/52+13)
1,105 Lbs.
8 Total Axis Shelves
4 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor
Floor Stock Holder

1878-49T

Ext: 43" W, 72" H, 25" D
Int: 38-1/2" W, 66" H, 17-1/2" D
45 Cubic Feet
49 Long Guns (26/39+10)
1,070 Lbs.
8 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor
Floor Stock Holder

1878-49

Ext: 43" W, 60" H, 25" D
Int: 38-1/2" W, 54" H, 17-1/2" D
38 Cubic Feet
49 Long Guns (26/39+10)
890 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor
Floor Stock Holder

1878-33

Ext: 31" W, 60" H, 25" D
Int: 26" W, 54" H, 17-1/2" D
27 Cubic Feet
33 Long Guns (13/26+7)
715 Lbs.
4 Total Axis Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor
Floor Stock Holder

1878-19

Ext: 25.75" W, 60" H, 21" D
Int: 21" W, 54" H, 17" D
19 Cubic Feet
5 Long Guns
585 Lbs.
4 Total CMS Shelves
1 - 5 Gun Barrel Rack
1 Pistol Rack
9 Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor

1878-13

Ext: 26" W, 42" H, 21" D
Int: 21" W, 35-3/4" H, 14-1/2" D
13 Cubic Feet
465 Lbs.
4 Total CMS Shelves
1 Pistol Rack
7 Locking Bolts (4 Active)
Electrical Outlet
LED Light Package
Elevated Floor

COLOR

Metal Glaze

LOCK OPTIONS

SG® Mechanical

SG® Top Lit Electronic



SecuRam™ ScanLogic Biometric

HARDWARE

Cast Iron Wheel

GRAPHIC

1878 Laser Cut Steel

HANDLE NEW

Metal Glaze Pull Handle

Due to variations in the metal used to construct the body and door, every 1878 safe is unique, with an individual look and character all its own.

HELL'S CANYON SERIES

Exclusive Features

DPX SYSTEM: Patented premium full DPX door including:

- Scope Saver
- Quick Access Barrel Rack
- Pistol and Storage Pouches

3" X 3/4" MAX BOLTS: 9 total chrome-plated Max locking bolts on three sides of door (top and sides).

FIRE PROTECTION: 1,680° for 90 minutes. ThermaBlock technology with 1-7/8" ceiling insulation, 1-7/8" body insulation and 1-3/4" door insulation.

AXIS SHELVING: Adjustable, polymer-covered steel shelves to protect firearms. (See next page to identify which Axis shelves are included with each Hell's Canyon safe model.)

INTERIOR POWER: Interior LED light package and electrical outlet.

MADE IN THE USA: American-made with quality and craftsmanship.

SECURITY: Industry-leading technology protects your valuables:

- 11-Gauge steel body
- 1-1/4" Formed Door with inner plate
- Force Deflector Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

HELL'S CANYON SERIES | *110 minutes at 1,200° F / 90 minutes at 1,680° F*

Made in the USA

90 minutes at 1680° — ThermaBlock Fire Protection
AXIS — Axis Adjustable Shelving
DPX — DPX Door Storage System
SCOPE SAVER — DPX Scope Saver
3-WAY BOLTS — 3-Way Bolts
PRY-STOP END BOLTS — Pry-Stop End Bolts
3"x3/4" — 3" x 3/4" Max Bolts
UL — UL Listed
11 GA BODY — 11-Gauge Steel Body
180° — 180° Door Hinges
Force Deflector
Reinforced Door Frame
FORMED DOOR — Formed Door
Electrical Outlet
LED Light Package

HC65

Exterior: 56" W, 60" H, 25" D
Interior: 51" W, 54" H, 17" D
49 Cubic Feet
65 Long Guns (39/52+13)
1,055 Lbs.
8 Total Axis Shelves
4 High Capacity Barrel Racks
1 Scoped Pistol Rack
1 Pistol Rack
9 Max Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

HC49 PLUS

Exterior: 43" W, 66" H, 25" D
Interior: 38-1/2" W, 60" H, 17-1/2" D
41 Cubic Feet
49 Long Guns (26/39+10)
980 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
9 Max Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

HC49

Exterior: 43" W, 60" H, 25" D
Interior: 38-1/2" W, 54" H, 17" D
38 Cubic Feet
49 Long Guns (26/39+10)
875 Lbs.
5 Total Axis Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
9 Max Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

HC33

Exterior: 31" W, 60" H, 25" D
Interior: 26" W, 54" H, 17" D
27 Cubic Feet
33 Long Guns (13/26+7)
700 Lbs.
4 Total Axis Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
9 Max Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor w/Floor Stock Holder

COLOR OPTIONS

Gloss Black

Textured Charcoal

Textured Putty

LOCK OPTIONS

SG® Mechanical

SG® Top Lit Electronic

SecuRam™ ScanLogic Biometric

HARDWARE

3-Spoke Black Chrome

GRAPHIC

Hell's Canyon

HANDLE NEW

Black Chrome

RAWHIDE SERIES

Exclusive Features

DPX SYSTEM: Full DPX door panel including:
- Scope Savers
- Quick Access Barrel Rack
- Pistol and Storage Pouches

1" CHROME BOLTS: 14 total chrome-plated locking bolts on three sides of door (top and sides).

FIRE PROTECTION: 1,680° for 90 minutes. ThermaBlock technology with 1-7/8" ceiling insulation, 1-7/8" body insulation and 1-3/4" door insulation.

CMS SHELVING: Adjustable, simulated leather covered wood shelves to protect firearms. (See next page to identify which CMS shelves are included with each Rawhide safe model.)

INTERIOR POWER: Interior LED light package and electrical outlet.

SECURITY: Industry-leading technology protects your valuables:
- 11-Gauge steel body
- 1" Formed Door with partial inner plate
- Force Deflector Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

RAWHIDE SERIES | *110 minutes at 1,200° F / 90 minutes at 1,680° F*

90 minutes at 1680° — ThermaBlock Fire Protection
CMS — CMS Adjustable Shelving
DPX — DPX Door Storage System
SCOPE SAVER — DPX Scope Saver
3-WAY BOLTS — 3-Way Bolts
PRY-STOP END BOLTS — Pry-Stop End Bolts
1" — 1" Chrome Bolts
UL — UL Listed
11 GA BODY — 11-Gauge Steel Body
180° — 180° Door Hinges
Force Deflector
Reinforced Door Frame
FORMED DOOR — Formed Door

RW49T

Exterior: 43" W, 72" H, 25" D
Interior: 38-1/2" W, 66" H, 18" D
45 Cubic Feet
49 Long Guns (26/39+10)
1020 Lbs.
8 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
14 Locking Bolts (8 Active)
Electrical Outlet
LED Light Package
Elevated Floor

RW49

Exterior: 43" W, 60" H, 25" D
Interior: 38-1/2" W, 54" H, 18" D
37 Cubic Feet
49 Long Guns (26/39+10)
875 Lbs.
5 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
14 Locking Bolts (8 Active)
Electrical Outlet
LED Light Package
Elevated Floor

RW33

Exterior: 30-1/2" W, 60" H, 25" D
Interior: 26" W, 54" H, 18" D
27 Cubic Feet
33 Long Guns (13/26+7)
730 Lbs.
4 Total CMS Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
14 Locking Bolts (8 Active)
Electrical Outlet
LED Lighting Package
Elevated Floor

COLOR OPTIONS

Textured
Saddle Brown



Raw Metal

LOCK OPTIONS

SecuRam™ Electronic
Lock

HARDWARE

3-Spoke Antique Bronze

GRAPHIC

Rawhide Emblem

Now with electrical outlet, LED light package and Scope Savers.

HUNTER SERIES

UPDATED

Exclusive Features

DPX SYSTEM: Full DPX door panel including:

NEW

- Scope Savers
- Quick Access Barrel Rack
- Pistol and Storage Pouches

1" CHROME BOLTS: 9 total chrome-plated locking bolts on three sides of door (top and sides).

FIRE PROTECTION: 1,550° for 80 minutes. ThermaBlock technology with 1-7/8" ceiling insulation, 1-1/4" body insulation and 1-3/4" door insulation.

CMS SHELVING: Adjustable, carpet-covered wood shelves to protect firearms. (See next page to identify which CMS shelves are included with each Hunter safe model.)

NEW

INTERIOR POWER: Interior LED light package and electrical outlet.

MADE IN THE USA: American-made with quality and craftsmanship.

SECURITY: Industry-leading technology protects your valuables:

- 12-Gauge steel body
- 1-1/4" Formed Door with inner plate
- Force Deflector Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

HUNTER SERIES | *95 minutes at 1,200° F / 80 minutes at 1,550 °F*

Made in the USA

80 minutes at 1550° — ThermaBlock Fire Protection
CMS — CMS Adjustable Shelving
DPX — DPX Door Storage System
DPX SCOPE SAVER — DPX Scope Saver
3-WAY BOLTS — 3-Way Bolts
PRY-STOP END BOLTS — Pry-Stop End Bolts
1" — 1" Chrome Bolts
UL — UL Listed
12 GA BODY — 12-Gauge Steel Body
180° — 180° Door Hinges
Force Deflector
Reinforced Door Frame
FORMED DOOR — Formed Door
Electrical Outlet
LED Light Package

HTRDLX49T

Exterior: 42" W, 72" H, 24-1/2" D
Interior: 38-1/2" W, 66-1/2" H, 17" D
43 Cubic Feet
49 Long Guns (26/39+10)
952 Lbs.
8 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor

HTRDLX49

Exterior: 42" W, 60" H, 24-1/2" D
Interior: 38-1/2" W, 54-1/2" H, 17" D
36 Cubic Feet
49 Long Guns (26/39+10)
785 Lbs.
5 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor

HTRDLX33

Exterior: 29-1/2" W, 60" H, 24-1/2" D
Interior: 26" W, 54-1/2" H, 17-1/2" D
25 Cubic Feet
33 Long Guns (13/26+7)
615 Lbs.
4 Total CMS Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
9 Locking Bolts (6 Active)
Electrical Outlet
LED Light Package
Elevated Floor

COLOR

Textured Putty



Textured Black

LOCK

SecuRam™ Electronic Lock

SecuRam™ ScanLogic Biometric

HARDWARE

3-Spoke Black Chrome

HTRDLX INTERIOR & EXTERIOR FLAGS

U.S. Flag Back Wall

U.S. Flag Exterior Flag

MP BLACKOUT SERIES

Exclusive Features

DPX SYSTEM: Full DPX door panel including:
- Scope Savers
- Quick Access Barrel Rack
- Pistol and Storage Pouches
- Two Carbine Barrel Loops

1" CHROME BOLTS: 8 total chrome-plated locking bolts on three sides of the door.

FIRE PROTECTION: 1,550° for 80 minutes. ThermaBlock technology with 1-7/8" ceiling insulation, 1-1/4" body insulation and 1-3/4" door insulation.

CMS SHELVING: Adjustable, carpet-covered wood shelves to protect firearms. (See next page to identify which CMS shelves are included with each MP Blackout safe model.)

SECURITY: Industry-leading technology protects your valuables:
- 12-Gauge steel body
- 1" Formed Door with partial inner plate
- Force Deflector Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

MP BLACKOUT SERIES | *95 minutes at 1,200° F / 80 minutes at 1,550 °F*

ThermaBlock Fire Protection | CMS Adjustable Shelving | DPX Door Storage System | DPX Scope Saver | 3-Way Bolts | Pry-Stop End Bolts | 1" Chrome Bolts | UL Listed | 12-Gauge Steel Body | 180° Door Hinges | Force Deflector | Reinforced Door Frame | Formed Door

MP49

Exterior: 42" W, 58" H, 24" D
Interior: 38-1/2" W, 52-1/2" H, 17-1/2" D
34 Cubic Feet
49 Long Guns (26/39+10)
710 Lbs.
5 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
8 Locking Bolts (5 Active)
Elevated Floor

MP33

Exterior: 29" W, 58" H, 24" D
Interior: 26" W, 52-1/2" H, 17-1/2" D
23 Cubic Feet
33 Long Guns (13/26+7)
560 Lbs.
4 Total CMS Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
8 Locking Bolts (5 Active)
Elevated Floor

COLOR

Matte Black

LOCK

SecuRam™ Electronic Lock

HARDWARE

Single Drop Black

GRAPHIC

Blackout Flag

SPORTER SERIES

Exclusive Features

DPX SYSTEM: Full DPX door panel including:
- Scope Savers (HG49 DLX only)
- Quick Access Barrel Rack
- Pistol and Storage Pouches

(DPX System is not included with SP20)

1" CHROME BOLTS: Up to 8 total chrome-plated locking bolts on three sides of door (top and sides).

FIRE PROTECTION: 1,550° for 80 minutes. ThermaBlock technology with 1-7/8" ceiling insulation, 1-1/4" body insulation and 1-3/4" door insulation.

CMS SHELVING: Adjustable, carpet-covered wood shelves to protect firearms. (See next page to identify which CMS shelves are included with each Sporter or HAWG safe model.)

SECURITY: Industry-leading technology protects your valuables:
- 12-Gauge steel body
- 1" Formed Door with partial inner plate
- Force Deflector Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

SPORTER SERIES | *95 minutes at 1,200° F / 80 minutes at 1,550 °F*

CMS Adjustable Shelving | DPX Door Storage System | 3-Way Bolts | Pry-Stop End Bolts | 1" Chrome Bolts | UL Listed | 12-Gauge Steel Body | 180° Door Hinges | Force Deflector | Reinforced Door Frame | Formed Door

SP49T

Exterior: 42" W, 72" H, 24" D
Interior: 38-1/2" W, 66-1/2" H, 17-1/2" D
42 Cubic Feet
49 Long Guns (26/39+10)
840 Lbs.
8 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
8 Locking Bolts (5 Active)
Elevated Floor

HG49 DLX

Exterior: 42" W, 58" H, 24" D
Interior: 38-1/2" W, 52-1/2" H, 17-1/2" D
34 Cubic Feet
49 Long Guns (26/39+10)
725 Lbs.
5 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
8 Locking Bolts (5 Active)
Electrical Outlet
LED Light Package
Elevated Floor

HG49

Exterior: 42" W, 58" H, 24" D
Interior: 38-1/2" W, 52 -1/2" H, 17-1/2" D
34 Cubic Feet
49 Long Guns (26/39+10)
710 Lbs.
5 Total CMS Shelves
3 High Capacity Barrel Racks
1 Pistol Rack
8 Locking Bolts (5 Active)
Elevated Floor

SP33

Exterior: 29" W, 58" H, 24" D
Interior: 26" W, 52-1/2" H, 17-1/2" D
23 Cubic Feet
33 Long Guns (13/26+7)
560 Lbs.
4 Total CMS Shelves
2 High Capacity Barrel Racks
1 Pistol Rack
8 Locking Bolts (5 Active)
Elevated Floor

SP23

Exterior: 30" W, 58" H, 20" D
Interior: 27" W, 52-1/2" H, 13" D
20 Cubic Feet
23 Long Guns (8/16+7)
530 Lbs.
Standard Shelves
2 Barrel Racks
8 Locking Bolts (5 Active)
Elevated Floor

SP20

Exterior: 24-1/2" W, 58" H, 19" D
Interior: 21" W, 52-1/2" H, 12" D
16 Cubic Feet
20 Long Guns (10/20)
475 Lbs.
Standard Shelves
2 High Capacity Barrel Racks
8 Locking Bolts (5 Active)
Elevated Floor

COLOR OPTIONS

Hammer Gloss Gray

LOCK OPTIONS

SecuRam™ Electronic Lock

HARDWARE

Cast Iron Wheel
(HAWG49 DLX only)

3-Spoke Black Chrome

GRAPHICS

Sporter

HAWG (HG49 only)

YELLOWSTONE SERIES

Exclusive Features

DPX SYSTEM: Full DPX door panel including:
- Quick Access Barrel Rack+
- Pistol and Mesh Pouches

1" CHROME BOLTS: Up to 7 total chrome-plated locking bolts on two sides of door.

FIRE PROTECTION: 1,400° for 60 minutes. ThermaBlock technology with 1-1/2" ceiling insulation, 1" body insulation and 1" door insulation

STANDARD SHELVING: Adjustable, carpet-covered wood shelves to protect firearms. (See next page to identify which shelves are included with each Yellowstone.)

SECURITY: Industry-leading technology protects your valuables:
- 12-Gauge steel body
- 1" Formed Door with partial inner plate
- Force Deflector Locking System
- Hardened steel pin lock protection
- Pry-Stop End Bolts

YELLOWSTONE SERIES | *60 minutes at 1,400° F*

60 minutes at 1400° — ThermaBlock Fire Protection
DPX — DPX Door Storage System
PRY-STOP END BOLTS — Pry-Stop End Bolts
1" Chrome Bolts
UL — UL Listed
12 GA BODY — 12-Gauge Steel Body
180° — 180° Door Hinges
Force Deflector
Reinforced+ Door Frame
FORMED DOOR — Formed+ Door

YS49T

Exterior: 42" W, 72" H, 24-1/2" D
Interior: 39-1/2" W, 67-1/2" H, 18-1/2" D
43 Cubic Feet
49 Long Guns (26/39+10)
785 Lbs.
Standard Shelves
3 High Capacity Barrel Racks
7 Locking Bolts (4 Active)
Elevated Floor

YS49

Exterior: 42" W, 58" H, 24-1/2" D
Interior: 39-1/2" W, 53-1/2" H, 18-1/2" D
33 Cubic Feet
49 Long Guns (26/39+10)
680 Lbs.
Standard Shelves
3 High Capacity Barrel Racks
7 Locking Bolts (4 Active)
Elevated Floor

YS40

Exterior: 36" W, 58" H, 24-1/2" D
Interior: 33-1/2" W, 53-1/2" H, 18-1/2" D
30 Cubic Feet
40 Long Guns (26/39+10)
563 Lbs.
Standard Shelves
2 High Capacity Barrel Racks
7 Locking Bolts (4 Active)
Elevated Floor

YS23

Exterior: 29-1/2" W, 58" H, 20" D
Interior: 28" W, 53-1/2" H, 13-1/2" D
20 Cubic Feet
23 Long Guns (8/16+7)
490 Lbs.
Standard Shelves
2 Barrel Racks
7 Locking Bolts (4 Active)
Elevated Floor

COLOR OPTIONS

Rugged Black
Diamond Texture

LOCK OPTIONS

SecuRam™ Electronic
Lock

HARDWARE

3-Spoke Black Chrome

GRAPHICS

Yellowstone

FMJ SERIES NEW

Exclusive Features

DPX SYSTEM: Full DPX door panel including:
- Sewn in Pistol Pouches
- Cloth and Mesh Storage Pouches

NEW **6-3/4 INCH MEGA BARS:** Up to 8 total Mega Bars on two sides of door.

FIRE PROTECTION: 1,400° for 60 minutes. ThermaBlock technology with 1-1/2" ceiling insulation, 1" body insulation and 1" door insulation

STANDARD SHELVING: Adjustable, carpet-covered wood shelves to protect firearms. (See next page to identify which shelves are included with each FMJ.)

SECURITY: Industry-leading technology protects your valuables:

- Mega Bars
- 14-Gauge steel body
- 1" Formed Door with partial inner plate

FMJ SERIES | *60 minutes at 1,400° F*

DPX Door Storage System

60 minutes at 1400° ThermaBlock Fire Protection

Mega Bars

CA DOJ Certified

14 GA BODY 14-Gauge Steel Body

180° Door Hinges

FORMED DOOR Formed Door

FMJ42

Exterior: 40" W, 58" H, 27" D
Interior: 36-3/4" W, 52-1/2" H, 20-1/2 D" D
27 Cubic Feet
42 Long Guns
585 Lbs.
Standard Shelves
2 Barrel Racks
8 Mega Bars (4 Active)
Elevated Floor

FMJ32

Exterior: 35" W, 58" H, 20" D
Interior: 31-3/4" W, 52-1/2" H, 13-1/2" D
24 Cubic Feet
32 Long Guns
460 Lbs.
Standard Shelves
2 Barrel Racks
8 Mega Bars (4 Active)
Elevated Floor

FMJ24

Exterior: 28" W, 58" H, 20" D
Interior: 20-3/4" W, 52-1/2" H, 13-1/2" D
19 Cubic Feet
24 Long Guns
400 Lbs.
Standard Shelves
2 Barrel Racks
8 Mega Bars (4 Active)
Elevated Floor

FMJ20

Exterior: 24" W, 58" H, 20" D
Interior: 20-3/4" W, 52-1/2" H, 13-1/2" D
16 Cubic Feet
20 Long Guns
360 Lbs.
Standard Shelves
2 Barrel Racks
8 Mega Bars (4 Active)
Elevated Floor

FMJ16

Exterior: 22" W, 58" H, 20" D
Interior: 28-3/4" W, 52-1/2" H, 13-1/2" D
15 Cubic Feet
16 Long Guns
340 Lbs.
Standard Shelves
2 Barrel Racks
8 Mega Bars (4 Active)
Elevated Floor

COLOR OPTIONS

Hammer Gray

LOCK OPTIONS

SecuRam™ Electronic Lock

HARDWARE

Black 3-Spoke



Simulated worn leather interior

TL-30 SERIES

Exclusive Features

DPX SYSTEM: Patented premium full DPX door in simulated worn leather including:

- Scope Saver
- Quick Access Barrel Rack
- Pistol and Storage Pouches

1-1/2" CHROME BOLTS: 7 total chrome-plated locking bolts on three sides of door (top, side and bottom).

FIRE PROTECTION: 1,750° for 120 minutes. Two layers of 11-Gauge steel plus 2-1/2" of high-strength aggregate concrete with L-bar reinforcement and Palusol® fire seal.

AXIS SHELVING: Adjustable, polymer-covered steel shelves to protect firearms. (See next page to identify which Axis shelves are included with the TL-30 model.)

SECURITY: Industry-leading technology protects your valuables:

- 2 layers of 11-Gauge steel plus 2-1/2" of high-strength aggregate concrete with L-bar reinforcement
- 2-1/2" Formed Door with inner plate
- Force Deflector Locking System
- Glass Relocker

TL-30 SERIES | *155 minutes at 1,200° F / 120 minutes at 1,750*

ASSEMBLED IN AMERICA

120 minutes at 1750° — ThermaBlock Fire Protection

AXIS — Axis Adjustable Shelving

DPX — DPX Door Storage System

Gear Drive™ Locking System

SCOPE SAVER — DPX Scope Saver

180° — 180° Door Hinges

UL — TL-30 UL® Listed

TL-30

Exterior: 43-1/2" W, 68-1/2" H, 26" D
Interior: 39" W, 66" H, 17" D
45 Cubic Feet
52 Long Guns
3,090 Lbs.
8 Total Axis Shelves
3 High Capacity Barrel Racks
1 Axis File Box
7 Locking Bolts (All Active)
Elevated Floor

COLOR OPTIONS

Textured Charcoal

LOCK OPTIONS

SG® Top Lit
Electronic

HARDWARE

5-Spoke Black Chrome

MULTI-FACETED CONSTRUCTION

High-density aggregate concrete, steel fiber and improved adhesive resins combine to make the TL-30 significantly stronger than safes made with average, construction-grade concrete.

VAULT DOORS

Made in the USA

Standard Out-Swing Door

38-1/8" W x 84" H

The minimum rough door opening is 36" W x 83"H

1-7/8" Fire Insulation on Door

Palusol® Expanding Fire Seal

735 Lbs.

22 Locking Bolts

Available in primer finish or choice of colors.
External L-frame with 1/2" diameter steel J-bolt anchors (included) can be poured in place in new construction or installed in an existing door frame by using expansion anchors or lag bolts (not included).

Clamshell Out-Swing Door

42-3/4" W x 83" H

910 Lbs.

24 Locking Bolts

1-7/8" Fire Insulation on Door

Palusol® Expanding Fire Seal

Clamshell In-Swing Door

42-3/4" W x 83" H

870 Lbs.

24 Locking Bolts

1-7/8" Fire Insulation on Door

Palusol® Expanding Fire Seal

1878 Out-Swing Door

42-3/4" W x 83" H

910 Lbs.

24 Locking Bolts

1-7/8" Fire Insulation on Door

Palusol® Expanding Fire Seal

1878 In-Swing Door

42-3/4" W x 83" H

870 Lbs.

24 Locking Bolts

1-7/8" Fire Insulation on Door

Palusol® Expanding Fire Seal

The minimum rough door opening for the Clamshell Vault Door is 40" x 82".

Clamshell flange has a 3-1/2" range of adjustment to fit walls with a minimum thickness of 8" to a maximum thickness of 11-1/2".

Clamshell flange design includes an internal and external flange for additional security and improved appearance.

Can be secured into an existing door frame using the clamshell flange or, for additional security, using expansion anchors or lag bolts (not included).

External L-frame with 1/2" diameter steel J-bolt anchors (included) can be poured in place in new construction or installed in an existing door frame by using expansion anchors or lag bolts (not included).



Standard Door Dimensions - Top View



Clamshell Door Dimensions - Top View

Exclusive Features

- OmniBarrier® Lock Protection System
- Uni-Force™ Locking System
- External ball bearing hinges
- Internal lock release opens the door from within the vault
- Designed to fit a variety of wall types and installation requirements
- Knurled five-spoke Buckmark handle
- Available with a black primer finish that is ready to paint and match any decor (Except 1878)

1-1/4" Chrome Bolts

OmniBarrier® System

UniForce™ Locking System

Duo-Formed® Door

HARDWARE OPTIONS

Black Chrome

Silver Chrome

Gold

LOCK OPTIONS

SG® Mechanical

SG® Top Lit Electronic

SecuRam™ ScanLogic Biometric

HANDLE OPTIONS NEW

Black Chrome

Silver Chrome

Gold

COLOR OPTIONS

Two-Tone Midnight

Two-Tone Steel Dawn

Two-Tone Desert Smoke

Two-Tone Crimson Fade

Black Cherry

Sapphire Blue

Primer Black

Titanium Metallic

Hunter Green Metallic

Charcoal Metallic

Putty Gray

Gloss Black

Matte Black

* See graphic options on page 2

Exclusive to 1878 vault door

GRAPHIC

1878 Laser Cut Steel

HARDWARE

Cast Iron Wheel

COLOR


Metal Glaze

HANDLE

Metal Glaze Pull Handle

Made in the USA

Commemorate the 250th Anniversay of the United States of America with this epic addition to our currated graphics collection. Available only during 2026, this graphic comes complimentary with your Platinum, Medallion, Silver, or Vault door order.

This limited-edition design evokes the timeless character of early American engraving, blending traditional elements with modern precision. Offered exclusively on our custom-built safes, it's more than an exterior finish — it's a celebration of our shared heritage and the ideals that shaped our nation.

Built to protect. Designed to inspire. Created for those who value history as much as security.

You will find our complete collection on Page 2 of this catalog.

Gun Safe Accessories

Maximize the potential of your safe with our extensive line of safe accessories. These accessories are designed to help you store more gear and guns, better organize safe interior space, add lighting to make items easier to locate and ensure that your possessions are protected from humidity.

CARBINE BARREL LOOP

- Barrel Loops allow shorter firearms to be secured on the DPX Door Panel.

ADJUSTABLE QUICK ACCESS WINGS

- Adjust Quick Access Barrel Rack polymer wings for taller or shorter barrels

HANDGUN POUCH

- Store more guns without taking up shelf space with DPX Handgun Pouches. (Sold in sets of two.)

STOCK RISER

- Store shorter firearms on the DPX Door Panel and keep them easily accessible.

PROSTEEL™ ELECTRIC OUTLET

- NEW for the second quarter of 2026 a UL® listed electric outlet with dual plugs and two (2) USB ports.
- Flush mounted for most safes and adjustable to fit a wide variety of safes including other manufacturers.

PISTOL RACK (4-GUN AND 6-GUN)

- Store handguns more efficiently
- Increases storage space on shelves
- Access to handguns is made easier by placing them in an upright position

FLEXIBLE EVERDRY™ HUMIDIFIER

- Flat and bendable
- Takes up little space and makes installation easy, especially in smaller safes
- Removes humidity from the interior of a safe and protects against rust
- Plug is removable for installation
- LED indicates unit is operating

EVERDRY™ ELECTRIC DEHUMIDIFIER

- Removes humidity from the interior of a safe and protects against rust
- The 18" long EverDry should be used on safes 30" wide and larger
- Cord is removable for installation

LED SAFE LIGHTING KIT

- Browning factory-style LED Safe Lighting Kit is easily installed in the door frame
- Motion sensor activates the lights when the door opens and automatically shuts off after the door closes
- Includes eight LED light tubes, mounting clips, AC adaptor and motion sensor

DRY-ZONE MOISTURE REDUCER

- Absorbs moisture without electricity and is rechargeable in an oven
- One 500-gram box protects up to 37 cubic feet of enclosed space, about the volume of a standard 30" wide safe
- Can be reactivated indefinitely

ZERUST VCI PROTECTANT

- Small capsule emits an invisible vapor that forms a corrosion- and rust-resistant barrier on metal surfaces
- Vapor Corrosion Inhibitors (VCI) have been used for years to protect metal parts in industrial and commercial applications
- One capsule protects a standard 30" wide safe (approximately 26 cu. ft.) for one year

BOLT DOWN HARDWARE KIT

- Includes four lag screws for anchoring to wood floors and four concrete bolts and concrete anchors for securing to concrete
- Wood and concrete drill bits are also included

SG® ELECTRONIC LOCK RETROFIT KIT

- The SG Electronic Lock is an advanced security system manufactured by the leader in the lock industry
- Includes many technical security features
- Kit includes lock and installation DVD
- Available in silver chrome (shown), black chrome and gold
- Installation by a professional locksmith is recommended

SECURAM™ BIOMETRIC LOCK RETROFIT KIT

- The SecuRam ScanLogic Biometric Lock uses the uniqueness of an individual fingerprint as the combination in this advanced security solution
- The lock opens with either a fingerprint or a multi-digit code
- Highly secure with quick operation
- Simple programming instructions
- LCD Screen
- Available in silver chrome, black chrome (shown) and gold
- Installation by a professional locksmith is recommended



But Browning Safes are truly, honestly, 100% customizable. Add shelves. Add racks. Add pouches. Heck, add hanging files and a jewelry drawer. With our patented shelving system, you can design your gun safe exactly the way you want it.

BROWNING®

SAFES

Transform Your Space into an Impenetrable Fortress

When your collection demands more than a standard safe—when it's time for a dedicated, walk-in vault—Browning Safes Vault Doors deliver protection on a grand scale. Built with rugged 7-gauge steel framing and a robust Duo-Formed® Door, these vault doors feature up to 22 active locking bolts, the advanced Uni-Force™ Locking System with diversion bars, and the impenetrable OmniBarrier® Lock Protection to resist pry, drill, and punch attacks. Add 1-7/8" of fire-resistant insulation and a Palusol® expanding fire seal for superior fire protection when installed in a concrete room. External ball-bearing hinges ensure smooth operation, while an internal lock release provides a safe exit from inside.

Key Features:

- Fits a variety of wall thicknesses (Standard or Clamshell models for in-swing/out-swing)
- Customizable graphics, finishes, or paintable primer to blend seamlessly with your home
- Ideal for gun collections, valuables, panic rooms, or storm shelters
- Proudly made in the USA with Browning's legendary quality

Elevate your security. Build the ultimate vault room with a Browning Safes Vault Door—where protection meets elegant design. Contact your authorized Browning Safes dealer today or visit browning.com for details.

Bigger. Better. Browning.

Browning Safes Vault Doors

2026 STANDARD LINE COMPARISON CHART

	TL-30	PLATINUM SERIES			MEDALLION SERIES					SILVER SERIES				ARMORED U.S. SERIES		HELL'S CANYON SERIES			
	TL-30	PP49	PP49T	PP65T	M33	M49	M49T	M65	M65T	SR33	SR49	SR49T	SR65T	US33	US49	HC33	HC49	HC49Plus	HC65
Long Gun Capacity	52	49	49	65	33	49	49	65	65	33	49	49	65	33	49	33	49	49	65
AXIS® Adjustable Shelving System	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
CMS® Adjustable Shelving System																			
Standart Shelving																			
DPX® Door Panel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Quick Access Gun Rack	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Scope Savers	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ThermoBlock																			
Minutes at 1,200°	155	155	155	155	140	140	140	140	140	125	125	125	125	125	125	110	110	110	110
Minutes at 1,400°																			
Minutes at 1,550°																			
Minutes at 1,680°										100	100	100	100	100	100	90	90	90	90
Minutes at 1,700°					110	110	110	110	110										
Minutes at 1,750°	120	120	120	120															
Gauge Steel	11 x 2 Layers	7	7	7	10	10	10	10	10	11	11	11	11	11	11	11	11	11	11
Pin Type	Bolts	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt
Pin Size	1 ½"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	4"x1"	3"x¾"	3"x¾"	3"x¾"	3"x¾"
Number of Pins	7 (7)	16(11)	16(11)	16(11)	14(9)	14(9)	14(9)	14(9)	14(9)	10(6)	10(6)	10(6)	10(6)	10(6)	10(6)	9(5)	9(5)	9(5)	9(5)
LED Light Kit		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electric Outlet			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Made in USA	○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

*White dot indicates Assembled in USA

1878 SERIES							RAWHIDE SERIES			HUNTER SERIES			MP BLACKOUT SERIES		SPORTER SERIES						YELLOWSTONE SERIES				FMJ SERIES				
1878-13	1878-19	1878-33	1878-49	1878-49T	1878-65	1878-65T	RW33	RW49	RW49T	HTR33	HTR49	HTR49T	MP33	MP49	SP20	SP23	SP33	HG49	HG49DLX	SP49T	YS23	YS40	YS49	YS49T	FMJ16	FMJ20	FMJ24	FMJ32	FMJ42
	5	33	49	49	65	65	33	49	49	33	49	49	33	49	20	23	33	49	49	49	23	40	49	49	16	20	24	32	42
●	●	●	●	●	●	●																							
							●	●	●	●	●	●	●	●			●	●	●	●									
															●	●					●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●									
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●									
125	125	125	125	125	125	125	110	110	110	95	95	95	95	95	95	95	95	95	95	95									
																					60	60	60	60	60	60	60	60	60
										80	80	80	80	80	80	80	80	80	80	80									
90	90	90	90	90	90	90	90	90	90																				
11	11	11	11	11	11	11	11	11	11	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	14	14	14	14	14
Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Max Bolt	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Bolts	Mega Bar	Mega Bar	Mega Bar	Mega Bar	Mega Bar
3"x¾"	3"x¾"	3"x¾"	3"x¾"	3"x¾"	3"x¾"	3"x¾"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	1"	6¾"	6¾"	6¾"	6¾"	6¾"
9(5)	9(5)	9(5)	9(5)	9(5)	9(5)	9(5)	14(8)	14(8)	14(8)	9(6)	9(6)	9(6)	8(5)	8(5)	8(5)	8(5)	8(5)	8(5)	8(5)	8(5)	7(4)	7(4)	7(4)	7(4)	8(4)	8(4)	8(4)	8(4)	8(4)
●	●	●	●	●	●	●	●	●	●	●	●	●							●										
●	●	●	●	●	●	●	●	●	●	●	●	●							●										
●	●	●	●	●	●	●				●	●	●																	

Browning Safes • 1400 South State Street • Provo, UT 84606

BROWNINGSAFES.COM • 877-501-7233

© Browning Safes, January 2026. Printed in the U.S.A.

Every effort has been made to ensure that all product photographs, descriptions, and specifications in this catalog are accurate; however, inadvertent errors may occur. Browning Safes reserves the right to modify or change specifications without notice.